

Safety Data Sheet

LOOP-107P

1. IDENTIFICATION

Product Name: LOOP-107P
Chemical Name: Not Applicable
Description: Slightly hazy to clear colorless liquid with characteristic odor
Recommended Use: Water Treatment
Restrictions on Use: For industrial use only.

Revised: 4/21/15

COMPANY IDENTIFICATION

TOWER WATER MANAGEMENT
5 SHIRLEY AVENUE
SOMERSET, NJ 08873

PHONE NUMBER: 732/249-0990

EMERGENCY PHONE NUMBERS

(800) 255-3924
Outside USA: COLLECT (800) 255-3924

2. HAZARD(S) IDENTIFICATION

GHS Classification:

Serious eye damage/irritation - Category 1
Skin corrosion/irritation - Category 1C
Specific target organ toxicity, single exposure - Category 1
Specific target organ toxicity, single exposure - Category 1

Signal Word: Danger

Symbol(s):



Hazard Statements:

Causes severe skin burns and eye damage.
Causes damage to digestive system if swallowed
Causes damage to respiratory system if inhaled

Precautionary Statements:

Prevention

Do not breathe dusts or mists. Do not get in eyes, on skin, or on clothing. Wash hands, forearms, gloves and contaminated surfaces thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/eye protection/face protection.

Response

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CONTROL CENTER or doctor for treatment advice.

Specific treatment (see First Aid on SDS or on this label).

Take off contaminated clothing and wash it before reuse.

IF exposed or concerned: Call a POISON CONTROL CENTER or doctor for treatment advice.

Storage

Store locked up.

Disposal

Dispose of contents/container in accordance with local, regional, national and international regulations.

Hazards Not Otherwise Classified: None Known.

Percentages of Components with Unknown Acute Toxicity:

Inhalation: 27%

3. COMPOSITION / INFORMATION ON INGREDIENTS

| CHEMICAL INGREDIENTS | CAS NO.* | PERCENT (%)** |
|----------------------|------------|---------------|
| SODIUM HYDROXIDE | 1310-73-2 | < 5% |
| SODIUM SILICATE | 1344-09-8 | H |
| PHOSPHATE, HEXAMETA | 10124-56-8 | M |

Legend: L=<1%; M=1-10%; H=>10%

* Exposure limit and regulatory information in Sections 8 & 15

** Exact percentage is a trade secret. Concentration range is provided to assist users in providing appropriate protections.

4. FIRST AID MEASURES

Eye Contact: Immediately flush with clean, cool water for 15 minutes and if irritation persists, get medical attention.

Skin Contact: Immediately wash skin with soap and plenty of water while removing contaminated clothing, for at least 15 minutes. If irritation persists, get medical attention. Launder contaminated clothing before reuse.

Inhalation: Remove victim to fresh air. If individual experiences nausea, headache, dizziness, has difficulty in breathing or is cyanotic, seek medical attention. If not breathing, give artificial respiration via a suitable mechanical device such as a bag and mask. Do not use mouth-to-mouth resuscitation.

Ingestion: Do not induce vomiting. Rinse mouth with copious quantities of water first and get immediate medical attention. Drink several glasses of water. Never give anything by mouth to an unconscious person. If vomiting occurs, keep airways clear.

Note to Physician: There is no specific antidote. Treatment of overexposure should be directed at the control of symptoms and the clinical condition of the patient. Aspiration may cause lung damage. Probable mucosal damage may contraindicate the use of gastric lavage.

Most Important Symptoms/Effects:

Eye Contact: May cause severe irritation or burns. Prolonged contact may cause irreversible damage and/or blindness.

Skin Contact: Prolonged contact may cause severe irritation, rash or burns. Severity is generally determined by concentration of solution and duration of contact.

Inhalation: Inhalation of vapor or mist can cause severe irritation of nose, throat, and lungs. May cause damage to the upper respiratory tract and lungs under severe conditions.

Ingestion: May be mildly toxic. May cause gastrointestinal irritation. Do not take internally. May cause nausea, vomiting, and/or diarrhea.

Indication of Immediate Medical Attention and Special Treatment, if Necessary:

Other than acute, none known. See section 11 for toxicological information.

5. FIRE FIGHTING MEASURES

Suitable (and Unsuitable) Extinguishing Media: Any media suitable for the surrounding fire.

Specific Hazards Arising from the Chemical: Product may be irritating to the eyes, skin, and respiratory system. Closed containers may rupture (due to buildup of pressure) when exposed to

extreme heat. If evaporated to dryness, some product residuals may burn. Thermal decomposition may release oxides of phosphorous.

Special Protective Equipment and Precautions for Fire-Fighters: Wear self-contained breathing apparatus and full turn-out gear. Approach fire from upwind direction. If possible, move containers away from fire. Cool fire exposed containers with water spray. If containers rupture or leak, product may evolve irritating or toxic gas under extreme heat. Contain runoff.

6. ACCIDENTAL RELEASE MEASURES

Spill Containment and Clean-up Instructions:

Wear suitable protective equipment found in section 8. Small spills may be flushed with copious quantities of water, preferably to a sanitary sewer or waste treatment facility. Larger spills may be absorbed in sawdust or other absorbent and sweepings disposed of in an approved landfill. The area may then be flushed with copious quantities of water. Floor may be slippery; use care to avoid falling. Avoid release of this product into the environment to prevent contamination of soil, sewers, natural waterways and/or groundwater. See Section 12 for Ecological Information.

7. HANDLING AND STORAGE

Handling and Storage:

Store in a cool, dry, well ventilated area, between 10°C and 49°C. Keep containers tightly closed when not in use and follow all recommended safety precautions when handling the material. Keep out of sun and away from heat or open flame. Keep away from incompatible materials. See Section 10 for incompatible materials.

8. EXPOSURE CONTROL / PERSONAL PROTECTION

Engineering Controls: General ventilation expected to be satisfactory

PERSONAL PROTECTION EQUIPMENT

Respiratory: Not normally required.

Eyes and Face: Chemical resistant goggles or face shield.

Hands and Skin: Chemical resistant rubber, neoprene latex or PVC

Other Protective Equipment: Eyewash station in area of use. Wear long sleeve shirt, long pants, and boots.

EXPOSURE GUIDELINES

Exposure Limits:

| COMPONENT | TLV |
|---------------------|---|
| PHOSPHATE, HEXAMETA | 10 mg/m ³ (inhalable) 8-hr TWA, 3 mg/m ³ (respirable) 8-hr TWA |
| SODIUM HYDROXIDE | 2mg/m ³ /15M |

9. PHYSICAL AND CHEMICAL PROPERTIES

| | | | |
|-----------------------------|--|---------------------------------|------------------------|
| Appearance and Odor: | Slightly hazy to clear colorless liquid with characteristic odor | | |
| Odor Threshold: | N.D. | Vapor Pressure: | N.A. |
| pH (undiluted): | 11.6 - 12.1 | Vapor Density: | <1 |
| Freeze Point: | < 0°C (32°F) | Specific Gravity(@22°C): | 1.282 - 1.292 |
| Boiling Point: | > 100°C (212°F) | Solubility in Water: | Complete |
| Flash Point: | None | Partition Coefficient: | N.D. (n-octanol/water) |

| | | | |
|-----------------------------------|-------------------|-----------------------------------|------|
| Evaporation Rate: | 1.0 | Auto-Ignition Temperature: | N.D. |
| Flammability (solid, gas): | No | Decomposition Temperature: | N.D. |
| Flammable Limits in Air: | LFL – N.A. | Viscosity: | N.A. |
| | UFL – N.A. | | |

10. STABILITY AND REACTIVITY

Reactivity: Not normally reactive at normal temperatures and pressure.

Chemical Stability: Stable under normal conditions

Possibility of Hazardous Reactions: Will not occur under normal conditions.

Conditions to Avoid: Avoid excessive heat, sparks or open flames.

Incompatible Materials: No specific incompatibility

Hazardous Decomposition Products: Thermal decomposition may release oxides of phosphorous.

11. TOXICOLOGICAL INFORMATION

Ingestion Testing: Rat, LD50: 4,518 mg/kg*

Skin Testing: Rabbit, LD50: > 5,000 mg/kg

Inhalation Testing: None established for this product.

*Calculated based on GHS acute toxicity formula.

CHRONIC TOXICITY DATA

Sensitization Testing: None established for this product.

Other Testing: None established for this product.

Routes of Exposure: Eyes, Ingestion, Inhalation, Skin.

Eye Contact: May cause severe irritation or burns. Prolonged contact may cause irreversible damage and/or blindness.

Skin Contact: Prolonged contact may cause severe irritation, rash or burns. Severity is generally determined by concentration of solution and duration of contact.

Inhalation: Inhalation of vapor or mist can cause severe irritation of nose, throat, and lungs. May cause damage to the upper respiratory tract and lungs under severe conditions.

Ingestion: May be mildly toxic. May cause gastrointestinal irritation. Do not take internally. May cause nausea, vomiting, and/or diarrhea.

Medical Conditions Aggravated by Exposure: None known.

Chronic Effects from Repeated Overexposure: Other than short term effects, none established.

12. ECOLOGICAL INFORMATION

Aquatic Toxicity Data: None established for this product.

Product Fate Data: None established for this product.

Biodegradation Data: None established for this product.

13. DISPOSAL CONSIDERATIONS

Waste Disposal: Dispose of in accordance with local, regional, national and international regulations. Contact the Hazardous Waste representative at the nearest EPA Regional Office for guidance.
Container Disposal: Triple rinse container (or equivalent) promptly after emptying and offer for

reconditioning if appropriate. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal.

14. TRANSPORT INFORMATION

US DEPARTMENT OF TRANSPORTATION (DOT) INFORMATION
NOT REGULATED

VESSEL TRANSPORT (IMO/IMDG)
NOT REGULATED

15. REGULATORY INFORMATION

US FEDERAL REGULATIONS

TSCA: All ingredients listed or exempt from listing.

CERCLA and/or SARA RQ:

Reportable Quantity: SODIUM HYDROXIDE (CAS#1310-73-2) - 1000lbs. (455 kg)

SARA Section 302 Hazard Class: No ingredients listed in this section.

SARA Section 311/312 Chemicals:

Acute Health Hazard: Yes

Chronic Health Hazard: No

Fire Hazard: No

Sudden Release of Pressure Hazard: No

Reactive Hazard: No

SARA Section 313 Chemicals: No ingredients listed in this section.

STATE REGULATIONS

This product does not contain any ingredients known to the State of California to cause cancer.

16. OTHER INFORMATION

HAZARD RATING SUMMARY

| | | |
|-----------------------|------|---------------------|
| Hazard Rating System: | NFPA | CODE TRANSLATION |
| Health: | 1 | 0 = Minimal Hazard |
| Flammability: | 0 | 1 = Slight Hazard |
| Reactivity: | 0 | 2 = Moderate Hazard |
| Special: | | 3 = Severe Hazard |
| | | 4 = Extreme Hazard |

Other Precautions: This product has been designed for use in water distribution systems and specific types of cooling water circuits. It should be used only in accordance with the instructions provided by the technical representative servicing the facility. The product is manufactured at a certified production facility with only certified drinking water additives pursuant with ANSI/NSF Standard 60. The product is USDA acceptable as a Category G3 Silicate compound for potable water treatment and a Category G5 compound for cooling and retort water treatment.

SDS REVISION SUMMARY

| | |
|---------------------|---------------------------------------|
| Revised Date | Revision Notes |
| 4/21/15 | GHS Version 1.0: Supersedes: 11/15/12 |

ABBREVIATION CODE SUMMARY

N.A. – Not Applicable
N/A – Not Available
N.D. – Not Determined
N.E. – None Established

Disclaimer: The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given.